



Recessed Mounted Downlight




model no. : **GFN-DLLDC003D**
 colour : GY
 reflector : NIL
 lamp : Luxeon Star 3 x 1W(350mA)
 lamp colour : White
 cut out : 70mm




model no. : **GFN-DLLDC006D**
 colour : GY
 reflector : NIL
 lamp : Luxeon Star 6 x 1W(350mA)
 lamp colour : White
 cut out : 110mm




model no. : **GFN-DLLDC015D**
 colour : GY
 reflector : NIL
 lamp : Luxeon 15 x 1W(350mA)
 lamp colour : WH
 cut out : 125mm



model no. : **GFN-DL003ADPD3GYWH**
 colour : GY
 reflector : 30D
 lamp : Luxeon 3 x 3W(700mA)
 lamp colour : WH
 cut out : 69mm




model no. : **GFN-DL006ADPD3GYWH**
 colour : GY
 reflector : 30D
 lamp : Luxeon 6 x 3W(700mA)
 lamp colour : WH
 cut out : 110mm




Recessed Mounted Downlight




model no. : **GFN-DLLDC101DP**
 colour : GY ■
 reflector : 15D
 lamp : Luxeon Star 1W(350mA)
 lamp colour : White
 cut out : 44mm ∅




model no. : **GFN-DLLDC101DP1**
 colour : GY ■
 reflector : 15D
 lamp : Luxeon Star 1W(350mA)
 lamp colour : WH □
 cut out : 44mm ∅




model no. : **GFN-DLLDC101**
 colour : GY ■
 reflector : 50D
 lamp : Z-Power Lens 1.2W(350mA)
 lamp colour : White
 cut out : 35mm ∅




model no. : **GFN-DLLDC1011**
 colour : GY ■
 reflector : 50D
 lamp : Z-Power Lens 1.2W(350mA)
 lamp colour : White
 cut out : 35mm ∅



model no. : **GFN-DL101PPD**
 colour : WH □ / GY ■
 reflector : 30D
 lamp : Luxeon 1 x 3W(700mA)
 lamp colour : WH □
 cut out : 38mm ∅






model no. : **GFN-DL101DPPD**
 colour : WH □ / GY ■
 reflector : 30D
 lamp : Luxeon 1 x 3W(700mA)
 lamp colour : WH □
 cut out : 46mm ∅




In-Ground Luminaire





model no. : **GFN-GLODL003**
 colour : GY ■
 reflector : NIL
 lamp : Z-Power Star 1.2W(350mA)
 lamp colour : WH □ / BL ■ / RD ■ / AM ■
 cut out (grounds) : 50mm ∅ ⊕ ,H90mm
 cut out (board) : 39mm ∅ ⊕ ,H90mm
 classes : IP66




model no. : **GFN-GLGR001**
 colour : GY ■
 reflector : NIL
 lamp : Z-Power Star 1.2W(350mA)
 lamp colour : BL ■ / RD ■ / GR ■
 cut out : 120mm ∅ ⊕ ,H135mm
 classes : IP66
 remarks : Driver included




model no. : **GFN-GLODL005**
 colour : GY ■
 reflector : NIL
 lamp : Z-Power Star 1.2W(350mA)
 lamp colour : WH □ / BL ■ / RD ■ / AM ■
 cut out (grounds) : 120mm ∅ ⊕ ,H120mm
 cut out (board) : 86mm ∅ ⊕ ,H120mm
 classes : IP66
 remarks : Driver included




model no. : **GFN-GLLDLAC52**
 colour : GY ■
 reflector : NIL
 lamp : Z-Power Star 1.2W(350mA)
 lamp colour : WH □ / BL ■
 cut out (grounds) : 170mm x170mm ⊕ ,H55mm
 cut out (board) : 90mm ∅ ⊕ ,H55mm
 classes : IP65
 remarks : Driver included



model no. : **GFN-GLLDLAC56**
 colour : GY ■
 reflector : NIL
 lamp : Z-Power Star 1.2W(350mA)
 lamp colour : WH □ / BL ■
 cut out (grounds) : 170mm x170mm ⊕ ,H55mm
 cut out (board) : 90mm ∅ ⊕ ,H55mm
 classes : IP65
 remarks : Driver included




model no. : **GFN-GLODL1103WH**
 colour : GY ■
 reflector : NIL
 lamp : LUXEON 3 X 1W(350mA)
 lamp colour : WH □
 cut out : DIA.110mm, H165
 classes : IP65
 remarks : Driver included







model no. : **GFN-GLODL110SQ03WH**
 colour : GY
 reflector : NIL
 lamp : LUXEON 3 X 1W(350mA)
 lamp colour : WH
 cut out : 110mm x 110mm, H165
 classes : IP65
 remakes : Transformer included



model no. : **GFN-GLODLG1030AGY**
 colour : GY
 reflector : 15D
 lamp : LUXEON 3 X 1W(350mA)
 lamp colour : WH
 cut out : NIL
 classes : IP66
 remakes : Driver included




model no. : **GFN-GLODLG1061AGY**
 colour : GY
 reflector : 15D
 lamp : LUXEON 6 X 1W(350mA)
 lamp colour : WH
 cut out : NIL
 classes : IP66
 remakes : Driver included





Surface Mounted Lamp




model no. : **GFN-LA2424ET0110WH**
 colour : GY
 reflector : NIL
 lamp : Luxeon 24 x 0.06W(20mA)
 lamp colour : WH
 remakes : Driver included



model no. : **GFN-LA2448ET0110WH**
 colour : GY
 reflector : NIL
 lamp : Luxeon 48 x 0.06W(20mA)
 lamp colour : WH
 remakes : Driver included




model no. : **GFN-LA2472ET0110WH**
 colour : GY
 reflector : NIL
 lamp : Luxeon 72 x 0.06W(20mA)
 lamp colour : WH
 remakes : Driver included







model no. : **GFN-LDC204DPSQGYWH**
colour : GY ■
reflector : NIL
lamp : Luxeon 4 x 1W(350mA)
lamp colour : WH □
remakes : Driver included



Surface Mounted Wall Lamp




model no. : **GFN-WALWA0101LSVWW**
colour : GY ■
reflector : NIL
lamp : Z-Power Star 1.2W(350mA)
lamp colour : WW □
remakes : Driver included




model no. : **GFN-WALWA0103RSVWW**
colour : GY ■
reflector : NIL
lamp : Z-POWER STAR 3 x 1.2W(350mA)
lamp colour : WW □
remakes : Driver included




model no. : **GFN-WALWA2011ASVWW**
colour : GY ■
reflector : NIL
lamp : Luxeon Star 1W(350mA)
lamp colour : WW □
remakes : Driver included




model no. : **GFN-WALWA2012ASVWW**
colour : GY ■
reflector : NIL
lamp : Luxeon Star 2 x 1W(350mA)
lamp colour : WW □
remakes : Driver included



model no. : **GFN-WATILWA201WH**
colour : GY ■
reflector : NIL
lamp : Luxeon 1W(350mA)
lamp colour : WH □
cut out : Driver included




model no. : **GFN-WATILWA202WH**
colour : GY ■
reflector : NIL
lamp : Luxeon 2 x 1W(350mA)
lamp colour : WH □
cut out : Driver included




LSD-Series




model no. : **GFN-DLLWS2011BSVWH**
 colour : GY ■
 reflector : NIL
 lamp : Luxeon Star 1W(350mA)
 lamp colour : WH □
 cut out : 10mm ∅ Ⓢ



model no. : **GFN-DLLWS2011ASVWH**
 colour : GY ■
 reflector : NIL
 lamp : Luxeon Star 1W(350mA)
 lamp colour : WH □
 cut out : 10mm ∅ Ⓢ




model no. : **GFN-DLLWS2511CSVWH**
 colour : GY ■
 reflector : NIL
 lamp : Luxeon Star 3 x 1W(350mA)
 lamp colour : WH □
 cut out : 10mm ∅ Ⓢ



EXAMPLE

Display of the connecting




Symbols in the tables



Specification and Safety (IP types of protection to IEC 60529)

		Degree of protection	
First digit	Symbol	Brief description	Details of which foreign bodies must not penetrate the casing
6	⋄	Dust-tight	No penetration of dust
		Degree of protection	
First digit	Symbol	Brief description	Details on protection by the casing
5	⚡	Protected against jets of water	Water sprayed at the casing from any direction by a strong jet must not have a damaging effect.
6	⚡	Protected against heavy seas	Water from heavy seas or high-pressure jets must not penetrate the casing in quantities that could cause damage.

Recessed Mounted Wall Lamp



model no. : **GFN-DLLDLC01**

colour : GY ■


reflector : NIL

lamp : Z-Power Star 1.2W(350mA)

lamp colour : WH □ / BL ■ / RD ■

cut out : 77mm x 77mm Ⓢ

accessories : GFN-LDLACP17



model no. : **GFN-DLLDLE01**


colour : GY ■

reflector : NIL

lamp : Z-Power Star 1.2W(350mA)

lamp colour : WH □ / BL ■ / RD ■ / AM ■ / GR ■

cut out : 77mm x 77mm Ⓢ



model no. : **GFN-DLLDLE03**


colour : GY ■

reflector : NIL

lamp : Luxeon Star 1W(350mA)

lamp colour : WH □ / BL ■

cut out : 225mm x 77mm Ⓢ



model no. : **GFN-DLLDLP01S**


colour : GY ■

reflector : NIL

lamp : Z-Power Lens 1.2W(350mA)

lamp colour : WH □ / BL ■ / RD ■

cut out : 36mm ⌀ Ⓢ



model no. : **GFN-DLLDL91**


colour : GY ■

reflector : NIL

lamp : Z-Power Star 6 x 1.2W(350mA)

lamp colour : WH □


cut out : 165 x 75mm Ⓢ




Accessories 配件




model no. : **GFN-TFLSVC3AZ / GFN-TFLSVC3BZ**
Drive,
INPUT : 100-240V
MAX : 3W (350mA) / 3W x 1 (700mA)




model no. : **GFN-TFLSVC3A**
Drive,
INPUT : 100-240V
MAX : 3W (350mA)




model no. : **GFN-TFLSVC3AP**
Drive,
INPUT : 100-240V
MAX : 3W (350mA)




model no. : **GFN-TFLMVC8A**
Drive,
INPUT : 100-240V
MAX : 6W (350mA)



model no. : **GFN-TFLTVC18A**
Drive,
INPUT : 100-240V
MAX : 18W (350mA)



model no. : **GFN-TFLTVC18BZ**
Drive,
INPUT : 100-240V
MAX : 3W x 6 (700mA)



model no. : **GFN-LDLACP17**
1 set for 7 pcs
(For GFN-DLLDLC01 use)



model no. : **GFN-LDLAC3(350mA) / GFN-LDLAC3B(700mA)**
Close-loop plug



model no. : **GFN-LDLAC2(350mA) / GFN-LDLAC2B(700mA)**

Multi-lamp extension cord 1007#26awg,
Cable length : 1M / 3M



model no. : **GFN-LDLAC26(350mA) / GFN-LDLAC26B(700mA)**

Multi-lamp extension cord 1007#26awg,
Cable length : 1M

A Member of  THE PLC GROUP EXCLUSIVE DISTRIBUTOR

九龍旺角道8號F地下
香港灣仔駱克道212號地下5-7舖
香港灣仔駱克道210號地下C舖
九龍旺角道8號C一樓全層
香港灣仔摩理臣山道50號地下
九龍灣國際展貿中心家居博覽館五樓524舖
客戶服務熱線 Customer Service Hotline : 2765 9667

G/F, 8F Mongkok Road, Mongkok, Kowloon
Shop 5-7, G/F, 212 Lockhart Road, Wanchai, Hong Kong
Shop C, G/F, 210 Lockhart Road, Wanchai, Hong Kong
1/F, 8C Mongkok Road, Mongkok, Kowloon
G/F, 50 Morrison Hill Road, Wanchai, Hong Kong
Shop 524, 5/F, Premier Home Forum, HITEC, Kowloon Bay, Kowloon

傳真 Fax : 2330 2082

電郵 e-mail : plc@plc.com.hk

Tel : 2789 2226 Fax : 2787 9189
Tel : 2519 9601 Fax : 2827 1899
Tel : 2519 6275 Fax : 2802 8204
Tel : 2396 0077 Fax : 2391 5116
Tel : 2836 3839 Fax : 2838 0256
Tel : 2117 0068 Fax : 2117 0988

網址 Website : www.plc.com.hk

600-CATLGT02804